ELSEVIER

Journal of Non-Crystalline Solids 256&257 (1999) xi–xiv

JOURNAL OF NON-CRYSTALLINE SOLIDS

www.elsevier.com/locate/jnoncrysol

Contents

Foreword vii
Committees viii
Preface: The Glass Ceiling by D.N. Payne ix
Contents xi

Section 1. Glass photonic devices

Pr^{3+} doped InF_3/GaF_3 based fluoride glass fibers and Ga–Na–S glass fibers for light amplification around 1.3 μm
K. Itoh, H. Yanagita, H. Tawarayama, K. Yamanaka, E. Ishikawa, K. Okada, H. Aoki, Y. Matsumoto, A. Shirakawa, Y. Matsuoka and H. Toratani 1

Active and passive chalcogenide glass optical fibers for IR applications: a review (Invited paper)
J.S. Sanghera and I.D. Aggarwal 6

Section 2. Glass synthesis

Gallium–lanthanum–sulphide glasses: a review of recent crystallisation studies
R. Li and A.B. Seddon 17

Sol–gel processing of germanium sulfide based films
O. Martins, J. Xu and R.M. Almeida 25

Catalyzed gelation of amorphous sulphides
J.S. Sanghera, C. Scotto, S. Bayya and I.D. Aggarwal 31

Electrochemical studies of rare earths in fluoride melts
D.R. MacFarlane, J. Javorniczky and P.J. Newman 36

Investigation into the effects of indium, and the purity of precursor materials on the scintillation yield of cerium-doped heavy metal fluoride glasses for electromagnetic calorimetry in particle physics
K.W. Bell, R.M. Brown, D.J.A. Cockerill, P.S. Flower, P.R. Hobson, B.W. Kennedy, A.L. Lintern, J.M. Parker and M. Sproston 42

Redox states of iron in heavy metal fluoride glasses
K.J. McKinlay and J.M. Parker 48

In situ generation of Eu^{2+} in glass-forming melts
D.R. MacFarlane, P.J. Newman, J.D. Cashion and A. Edgar 53

Increased rare earth solubility in As–S glasses
M. Scheffler, J. Kirchhof, J. Kobelke, K. Schuster and A. Schwuchow 59

Section 3. Glass structure

Nuclear magnetic resonance (NMR) studies of the local structure of phosphorus chalcogenide glasses: an overview (Invited paper)
P.F. Mutolo, M. Witschas, G. Regelsky, J.S. auf der Guenne and H. Eckert 63

Neutron diffraction studies of the structure of Ge-based multicomponent sulphide glasses
A.C. Hannon and B.G. Aitken 73

Smeared first-order phase transition in chalcogenide melts
Yu.S. Tver'yanovich, V.L. Ugolkov and O.V. Il'chenko 78

Local structure of Pr^{3+} in fluorozirconate glasses
M. Braglia, C. Bruschi, G. Dai, J. Kraus, S. Mosso, C. Meneghini, A. Balerna, F. Boscherini, S. Pascarelli and C. Lamberti 83

An interpretation of the Boson peak in rare-earth ion doped glasses
V.K. Tikhomirov, A. Jha, A. Perakis, E. Sarantopoulou, M. Naftaly, V. Krasteva, R. Li and A.B. Seddon 89

The environment of Nd^{3+}, Sm^{3+}, Yb^{3+} in chalcogenide glasses containing gallium and germanium
Yu.S. Tver'yanovich, S.V. Degtyarev, S.S. Pivovarov, V.B. Smirnov and A.V. Kurochkin 95

Magnetochemical investigation of the second coordination sphere of transition metals in glasses
Yu.S. Tver'yanovich and I.V. Murin 100

Raman spectra and photostructural changes in the short-range order of amorphous As–S chalcogenides
M. Frumar, Z. Polák and Z. Černošek 105

High-temperature structure of K_2O–TeO_2 glasses
R. Akagi, K. Handa, N. Ohtori, A.C. Hannon, M. Tatsumisago and N. Umesaki 111

Cryogenic EXAFS investigations of the short-range structural environment of gallium in PbO–Ga_2O_3 glasses
J. Heo, Y.G. Choi and V.A. Chernov 119

Surface alteration of zinc ultraphosphate glass in humid air at 140C
C. Mercier, L. Montagne, H. Sfihi and G. Palavit 124

Section 4. Glass physicochemical properties

Initial corrosion stages of a heavy metal fluoride glass in water
B. Hueber, G.H. Frischat, A. Maldener, O. Dersch and F. Rauch 130

Viscosity of fluoride glasses near the fiber drawing temperature region
G. Zhang, J. Jiang, M. Poulain, A.S. Delben and J.R. Delben 135

Physical properties and Raman spectroscopy of GeAs sulphide glasses
B.G. Aitken and C.W. Ponader 143

Transmission electron microscopy studies of $70Ga_2S_3$–$30La_2S_3$ glasses
I.M. Reaney, S.P. Morgan, R. Li and A.B. Seddon 149

Surface protection of fluoroindate glasses by sol–gel dip-coated SnO_2 thin layers
A.P. Rizzato, S.H. Pulcinelli, C.V. Santilli and Y. Messaddeq 154

Glass transformation, heat capacity and structure of $Ag_x(As_{0.4}Se_{0.6})_{100-x}$ glasses studied by temperature-modulated differential scanning calorimetry
T. Wagner, M. Frumar and S.O. Kasap 160

Ga–Ge–Sb–Se based glasses and influence of alkaline halide addition
H.L. Ma, Y. Guimond, X.H. Zhang and J. Lucas 165

Glass ceramics for optical amplifiers: rheological, thermal, and optical properties
M. Braglia, C. Bruschi, G. Dai, J. Kraus, S. Mosso, M. Baricco, L. Battezzati and F. Rossi . . 170

Section 5. Glass processing

Crystallization dynamics of chalcogenide glass films under non-equilibrium conditions (Invited paper)
F. Gan 176

Design and fabrication of lead-based fluoride glass channel waveguides
Y. Gao, B. Boulard, M. Lemiti, R. Rimet, P. Loeffler and H. Poignant 183
Planar and channel waveguides in fluoride glasses
R. Sramek, G. Fonteneau, E. Josse and J. Lucas 189
Physical vapor deposition of rare-earth doped ZrF_4-based glass planar waveguides
P.J. Morais, M. Clara Gonçalves and R.M. Almeida 194
Chemical etching of AlF_3-based glasses
Y.D. West, E.R. Taylor, R.C. Moore and D.N. Payne 200
Compositional investigation of Yb^{3+}-doped heavy metal fluoride glasses for laser-induced fluorescent cooling applications
M.T. Murtagh, G.H. Sigel Jr., J.C. Fajardo, B.C. Edwards and R.I. Epstein 207
Preparation and optical properties of fluoride glass waveguides induced by laser pulses
K. Miura, J. Qiu, T. Mitsuyu and K. Hirao 212
Fabrication of Er^{3+}-doped fluoride fibres with single-mode geometry based on over-clad drilling
M. Braglia, C. Bruschi, E. Chierici, G. Dai, J. Kraus and S. Mosso 220
Chalcogenide glass single mode fibres – preparation and properties
J. Kobelke, J. Kirchhof, M. Scheffler and A. Schwuchow 226
Towards monomode proportioned fibreoptic preforms by extrusion
D. Furniss and A.B. Seddon 232

Section 6. Glass electronic and ionic properties

Glass-forming ability and cationic transport in gallium containing chalcohalide glasses
Yu.S. Tver'yanovich, V.V. Aleksandrov, I.V. Murin and E.G. Nedoshovenko 237
Electrical properties of new glasses based on the Li_2S–SiS_2 system
R.F. Bartholomew, D.M. Young and A.J.G. Ellison 242

Section 7. Rare earth doping

Spectroscopic properties of Nd^{3+} in fluoroaluminate glasses for an efficient 1.3 μm optical amplifier
M. Naftaly, A. Jha and E.R. Taylor 248
Rare-earth doped selenide glasses and fibers for active applications in the near and mid-IR
B. Cole, L.B. Shaw, P.C. Pureza, R. Mossadegh, J.S. Sanghera and I.D. Aggarwal 253
Mid-infrared emissions and energy transfer in Ge–Ga–S glasses doped with Dy^{3+}
Y.B. Shin and J. Heo 260
Synthesis and optical properties of the Ge–Sb–S:$PrCl_3$ glass system
B. Frumarová, P. Němec, M. Frumar, J. Oswald and M. Vlček 266
Site-selective spectroscopy of Nd^{3+} ions in heavy metal oxide glasses
R. Balda, J. Fernández, M. Sanz, A. Oleaga, A. de Pablos and J.M. Fernández-Navarro 271
Excited-state absorption at 1.3 μm in Nd^{3+}-doped fluoride and sulfide glasses
J.-L. Adam, J.-L. Doualan, L. Griscom, S. Girard and R. Moncorgé 276
Spectroscopic studies on multiphoton processes in erbium doped fluoride and oxide glasses
S. Tanabe 282
Energy exchange processes in Er^{3+}-doped fluorozirconate glasses
V.K. Bogdanov, W.E.K. Gibbs, D.J. Booth, J.S. Javorniczky, P.J. Newman and D.R. MacFarlane 288
Reduction of OH^--related photoluminescence quenching in Pr^{3+}-doped GeS_2-based glasses by means of purification
X. Liu, B.B. Kale, V.K. Tikhomirov and A. Jha 294

Energy transfer and frequency upconversion in Pr^{3+}-doped fluorophosphate glass
R. Balda, J. Fernández, J.-L. Adam, A. Mendioroz and M.A. Arriandiaga 299
Thermal and optical properties of Pr^{3+}/Yb^{3+}-codoped ZBLAPN glasses
J. Zhong, L. Zan, L. Huang, Q. Luo, C. Li and D. Huang 304

Section 8. Optical properties

Studies of optical non-linearities of chalcogenide and heavy-metal oxide glasses (Invited paper)
S. Smolorz, I. Kang, F. Wise, B.G. Aitken and N.F. Borrelli 310
Recent developments in As–S glass fibres
G.G. Devyatykh, M.F. Churbanov, I.V. Scripachev, G.E. Snopatin, E.M. Dianov and V.G. Plotnichenko 318
Light scattering from copper-coated dielectric particles in fluorozirconate glass
A. Edgar 323
Photoinduced effects in undoped and rare-earth doped chalcogenide glasses: review (Invited paper)
V.K. Tikhomirov 328
Time-resolved thermal lens measurements of thermo-optical properties of fluoride glasses
S.M. Lima, J.A. Sampaio, T. Catunda, R. Lebullenger, A.C. Hernandes, M.L. Baesso, A.C. Bento and F.C.G. Gandra 337
Photoinduced dichroism in chalcogenides: influence of temperature and light intensity
P. Hertogen, V.K. Tikhomirov and G.J. Adriaenssens 343
Thermally induced changes in refractive index of As–S and Ag–As–S thin films
G. Dale, P.J.S. Ewen and A.E. Owen 348
Non-linear optical properties of chalcogenide glasses in the system As–S–Se
T. Cardinal, K.A. Richardson, H. Shim, A. Schulte, R. Beatty, K. Le Foulgoc, C. Meneghini, J.F. Viens and A. Villeneuve 353

Section 9. New glasses/glass systems and new directions

Rare-earth doped transparent glass-ceramics with high cross-sections
M. Mortier and F. Auzel 361
Enhanced fluorescence from nano-crystallized erbium-doped fluoroaluminate glasses
D.R. MacFarlane, J. Javorniczky, P.J. Newman and D.J. Booth 366
Tungsten–tellurite glass: a new candidate medium for Yb^{3+}-doping
X. Feng, C. Qi, F. Lin and H. Hu 372
Optical properties of antimony-stabilised sulphide glasses doped with Dy^{3+} and Er^{3+} ions
Y. Guimond, J.-L. Adam, A.-M. Jurdyc, H.L. Ma, J. Mugnier and B. Jacquier 378
Optical study of halide modified sulfide glasses containing neodymium ions
L.S. Griscom, J.-L. Adam and K. Binnemans 383
Spectroscopy of Nd^{3+} ions in new rare-earth-rich fluoroarsenate glasses
J.-L. Adam, R. Balda, I. Melscoët, F. Smektala, L.M. Lacha and J. Fernández 390
New oxysulphide glasses from the Sb_2O_3–Sb_2S_3·M_xS system
L. Zan, J. Zhong and Q. Luo 396

Author index 401
Subject index 406